

BIBLIOGRAFIA

- Alec R. (2001). Characteristic of Cocaine dependent patients who attempt suicide. *Am J. Psychiatry*, 158, 1215-1219.
- Arbabi S., Garcia I., Bauer G.J., Maier R.V. (1999). Alcohol (ethanol) inhibits IL-8 and TNF: role of the p38 pathway. *J Immunol.*, 15, 162(12), 7441-5
- Baldwin A., Oei T. e Young R. (1993). To drink or no to drink: the differential role of alcohol expectancies and drinking refusal self-efficacy in quantity of frequency of alcohol consumption. *Cognitive therapy and research*, 17, 6.
- Bandura, A. (1982). Self-efficacy mechanism in human agency. *American Psychologist*, 37, 122-147.
- Bandura A. (1995). *Self-efficacy in changing societies*. Cambridge University Press, New York (tr. It. *Il senso do autoefficacia. Aspettative su di se e azione*. Erikson, Trento, 1996)
- Bandura A.(1986). *Social foundations of thought and action : a social cognitive theory*. Englewood Cliffs, Prentice-Hall, NJ.
- Bandura, A. (1997). *Autoefficacia: teoria e applicazioni*. Tr. it. Erikson, Trento, 2000.
- Bandura A., Barbaranelli C., Caparra G.V. e Pastorelli C. (1996). Mechanism of moral disengagement in the exercise of moral agency. *Journal of personality and social psychology*, 71, 1-11.
- Baumrind D. e Moselle I. (1985). A developmental perspective on adolescent drug abuse. *Advances in Alcohol and Substance Abus.* , 4, 4 1-67.
- Bayer B.M., Daussin S., Hernandez M. e Irvin L. (1990). Morphine inhibition of lymphocyte activity is mediated by an opioid dependent mechanism. *Neuropharmacolog.* , 29(4), 369-74
- Bespalov A.Y., Zvartau E.E. e Beardsley P.M.(2001). Opioid-NMDA receptor interactions may clarify conditioned (associative) components of opioid analgesic tolerance. *Neurosci Biobehav Rev.* , 25(4), 343-53.
- Bjorkqvist S.E. (1975). Clonidine in alcohol withdrawal. *Acta Psychiatr Scand.* , 52(4), 256-63.
- Blaine J.D. (1992). *Buprenorphine: an alternative treatment for opioid dependence*. NIDA Research, Monograph 121, Rockville, US.
- Blalock J.E. e Smith E.M. (1985). A complete regulatory loop between the immune and neuroendocrine systems. *Fed Proc.* , 44(1 Pt 1), 108-11

- Block J., Block JH. e Keyes S. (1988). Longitudinally foretelling drug usage in adolescence: Early childhood personality and environmental precursors. *Child. Dev.* , 59, 336-355.
- Bogenschneider K., Wu M.Y., Raffaelli M. e Tsay J.C.(1998). Parent Influences on Adolescent Peer Orientation and Substance Use: The Interface of Parenting Practices and Values. *Child Development.* , 69, 6, 1672-1688.
- Bolla K.I., McCann U.D. e Ricaurte G.A. (1998). Memory impairment in abstinent MDMA ("ecstasy") users. *Neurology*, 51, 1532-1537.
- Bonetti A., (1995). Gli interventi psicologici nella tossicodipendenza secondo un'ottica relazionale. In Serpelloni G., Rezza G., Gomma M. *Eroina, infezione da HIV e patologie correlate. Manuale teorico-pratico.* Leonard edizioni scientifiche, Verona
- Boyle M., Offord D., Racine Y., Fleming J. E., Szatmari P. e Links P.S. (2006). Predicting Substance Use in Early Adolescence Based on Parent and Teacher Assessments of Childhood Psychiatric Disorder: Results from the Ontario Child Health Study Follow-up. Predicting substances use in early adolescences based on parent and teacher assessments of childhood psychiatric disorder: result from the Ontario child health study follow-up. *Journal of child psychology and psychiatry*, 34, 4, 535-544.
- Bricolo F., Faccio M. e Serpelloni G. (2006). I trattamenti farmacologici dei disturbi psichici correlati all'uso di cocaina. In G. Serpelloni, T. Macchia e G. Gerra *Cocaina. Manuale tecnico scientifico di aggiornamento 2006.* 6.1, 305-316.
http://cocaina.dronet.org/manuale_cocaina.html
- Brunetto G.P., Candio D., Filippini D. e Zermiani M. (2008). *Alcol. Informazioni dalla ricerca.* Dipartimento delle Dipendenze Regione Veneto, Azienda USL 20, Verona.
http://www.dronet.org/sostanze/collana_nida/ALCOL.pdf
- Cadoni C., Pisanu A., Solinas M., Acquas E. e Di Chiara G.(2001). Behavioural sensitization after repeated exposure to delta9-tetrahydrocannabinol and cross-sensitization with morphine. *Psychopharmacology*, 158 (3), 259-266.
- Cappendijk S.L., Hurd Y.L., Nylander I., van Ree J.M. e Terenius L. (1999). A heroin-, but not a cocaine-expecting, self-administration state preferentially alters endogenous brain peptides. *Eur J Pharmacol* , 22, 365(2-3), 175-82
- Caprara, G.V. (a cura di) (1999). L'adolescente e le sue relazioni: rischi e risorse nel processo di crescita. *Età evolutiva*, 57-100.
- Caprara G.V., (2001). *La valutazione dell'autoefficacia. Costrutti e strumenti.* Erikson Ed., Trento.
- Caprara, G. V. e Cervone, D. (2003) *Personalità: Determinanti, Dinamiche, Potenzialità*, 1a edizione, Raffaello Cortina Editore, Milano.
- Caparra G.V. e Fonzi A. (2000). *L'età sospesa.* Giunti, Firenze.

- Caroti E., Fonzi L., Marconi D. e Bersani G (2007). Cannabis e depressione. *Rivista di psichiatria*, 42, 1, 8-16.
- Celerier E., Laulin J.P., Corcuff J.B., Le Moal M. e Simonnet G. (2001). Progressive enhancement of delayed hyperalgesia induced by repeated heroin administration: a sensitization process. *J Neurosci.*, 1, 21(11), 4074-80.
- Choquet M. (2002). Letter to the editor. Beyond the *u*-curve: a reply to Peretti-watel et al.. *Addiction*, 97, 1607–1614.
- Choquet M. e Arvers, P. (2002) *Pratique Sportive, Consommation de Substance et Violence: une Association Explosive?* [Sport practice, substance use and violent behaviour: an explosive association]. Paris: National Institute of Health and Medical Research (INSERM).
- Cloninger C.R., Przybeck T.R., Svrakic D.M. e Wetzel R.D. (1994). *The temperament and character inventory (TCI): a guide to its development and use*. Center for Psychobiology of Personality, Washington University, St. Louis, Missouri.
- Cochrane C., Malcolm R. e Brewerton T. (1998). The role of weight control as a motivation for cocaine abuse. *Addict Behav.*, 23 (2), 201-207. Science Direct.
- Coleman J.C. (1989). The focal theory of adolescence: a psychological perspective. In K. Hurrelman e U Engel. *The social worlds of adolescents: international perspective*. 43-56. Walter de Gruyter, Berlin.
- Cottler L.B., Womack S.B., Compton W.M. e Ben-Abdallah A. (2001). Ecstasy abuse and dependence among adolescents and young adults: applicability and reliability of DSM-IV criteria. *Human Pharmacology*, 16, 599-606.
- Crespi D., Mennini T. e Gobbi M. (1997) Carrier-dependent and Ca(2+)-dependent 5-HT and dopamine release induced by (+)-amphetamine, 3,4-methylenedioxymethamphetamine, p-chloroamphetamine and (+)-fenfluramine. *Br J Pharmacol.*, 121(8), 1735-43.
- Dafters R.I. e Lynch E. (1998). Persistent loss of thermoregulation in the rat induced by 3,4-methylenedioxymethamphetamine (MDMA or Ecstasy) but not by fenfluramine. *Psychopharmacology*, 138, 207-212.
- Dailey D.C. e Mariatt C.A. (1993). Relapse Prevention: Cognitive and Behavioral Interventions. In *Substances Abuse, a comprehensive Textbook*. Part V, Williams and Wilkins, Baltimore.
- Darke S. e Kaye S. (2004). Attempted suicide among injecting and non-injecting cocaine user in Sydney, Australia. *Journal of Urban Health*, 81 (3), 505-515; Springer New York.
- De Jong W. (1994). Relapse Prevention: An Emerging Technology for Promoting Long-Term Drug Abstinence. *The International Journal of the Addictions*, 29 (6).

- Dermen K.H. e Cooper M.L. (1994). Sex-Related Alcohol Expectancies Among Adolescents: Prediction of Drinking in Social and Sexual Situations. *Psychology of Addictive Behaviors*, 8, 3, 161-168.
- De Santi A., Guerra R. e Morosini P. (2008). *Rapporti ISTISAN 08/1*. "La promozione della salute nelle scuole: obiettivi di insegnamento e competenze comuni.". Roma: ISS.
- De Vries T.J., Schoffelmeer A.N., Binnekade R., Raaso H. e Vanderschuren L.J. (2002) Relapse to cocaine- and heroin-seeking behavior mediated by dopamine D2 receptors is time-dependent and associated with behavioral sensitization. *Neuropsychopharmacology*, 26(1), 18-26.
- Dewhurst K e Hatrick J. (1972). Differential diagnosis and treatment of Iysergic acid diethylamide-induced psychosis. *Practitioner*, 209: 327-332.
- Di Chiara G., Acquas E., Tanda G. e Cadoni C.(1993). Drugs of abuse: biochemical surrogates of specific aspects of natural reward? *Biochem Soc Symp.* , 59, 65-81.
- Duan L., Chou C.P., Andreeva V.A. e Pentz M.A. (2009). Trajectories of Peer Social Influences as Long-Term Predictors of Drug Use from Early through Late Adolescence. *Journal of Youth and Adolescence*, 38, 3, 454-465.
- Ebsworth N. (2006). Il vaccino anticocaina. In G. Serpelloni, T. Macchia e G. Gerra *Cocaina. Manuale tecnico scientifico di aggiornamento 2006*. 6.1, 345-351.
http://cocaina.dronet.org/manuale_cocaina.html
- Eckardt M.J., File S.E., Gessa G.L., Grant K.A., Guerri C., Hoffman P.L., Kalant H., Koob G.F., Li T.K. e Tabakoff B. (1998). Effects of moderate alcohol consumption on the central nervous system. *Alcohol Clin Exp Res.* , 22(5), 998-1040.
- Ellingboe J. (1987). *Acute effects of ethanol on sex hormones in non-alcoholic men and women*. *Alcohol Alcohol;Suppl 1*:109-16
- Elliot D.L., Goldberg L., Moe E.L., DeFrancesco C.A., Durham M.B. e Hix-Small H. (2004). Preventing Substance Use and Disordered Eating. *Arch Pediatr Adolesc Med.* , 158:1043-1049
- Erikson E.H. (1968). *Identity, youth and crisis*. Norton, New York.
- Poelen E.A.P., Scholte R.H.J., Willemsen G., Boomsma D.I. e Engels R.C.M.(2007). Drinking by Parents, Siblings, and Friends as Predictors of Regular Alcohol Use in Adolescents and Young Adults: A Longitudinal Twin-Family Study. *Alcohol Alcohol.* , 42(4), 362-369. Oxford University Press.
- Fischer C., Hatzidimitriou G., Wlos J., Katz J., e Ricaurte G. (1995). Reorganization of ascending 5-HT axon projections in animals previously exposed to recreational drug 3,4-methylenedioxymetham-phetamine (MDMA, "Ecstasy"). *Journal of Neuroscience*, 15, 5476-5485.
- Flammer A. (1995). Developmental analysis of control beliefs. In A. Bandura (ed), *Self efficacy in changing societies*. Cambridge university press; 69-113.

- Flewelling R.L. e Bauman K.E. (1990). Family Structure as a Predictor of Initial Substance Use and Sexual Intercourse in Early Adolescence. *Journal of marriage and the family*, 52, 1, 171-181.
- Fromme K. e Dunn M.E. (1992). Alcohol expectancies, social and environmental cues as determinants of drinking and perceived reinforcement. *Addict Behav.* , 17(2), 167-77.
- Funada M., Hara C. e Wada K. (2001). Involvement of corticotropin-releasing factor receptor subtype 1 in morphine withdrawal regulation of the brain noradrenergic system. *Eur. J. Pharmacol.* , 2, 430(2-3), 277-81
- Furlan P.M. e Picci R.L. (1990). *Alcol Alcolici Alcolismo*. Bollati Boringhieri, Torino
- Gamma A., Buck A., Berthold T., Hell D. e Vollenweider F.X. (2000). 3,4 Methylendioxyamphetamine (MDMA) modulates cortical and limbic brain activity as measured by [H(2)(15)O]-PET in healthy humans. *Neuropsychopharmacology*, 23(4), 388-95.
- Garau L. (1996) Le "Designer Drugs". In *Medicina delle Tossicodipendenze*. Ed. Scuola Europea di Medicina Generale. http://www.dronet.org/lineeguida/ligu_pdf/designer.pdf
- Gatti R.C. (acura di) (1998). *Ecstasy e nuove droghe. Rischiare la giovinezza alla fine del millennio*. Franco Angeli, Milano.
- Gavaler J.S. (1983). *Ethanol tolerance and dependence: Endocrinological aspects*. Cicero TJ eds. NIAAA, Washington DC, 13.
- Gentry R.T., Baraona E. e Lieber C.S. (1994) . Agonist: gastric first pass metabolism of alcohol. *J of Lab and Clin Med.* , 123, 21-26.
- Gerra G., Zaimovic A., Franchini D., Palladino M., Giucastro G., Reali N., Maestri D., Caccavari R., Delsignore R. e Brambilla F. (1998). Neuroendocrine responses of healthy volunteers to 'techno-music': relationships with personality traits and emotional state. *Int J Psychophysiol.* , 28(1), 99-111.
- Gerra G., Zaimovic A., Timpano M., Zambelli U., Begarani M., Marzocchi G.F., Ferri M., Delsignore R. e Brambilla F. (2000). Neuroendocrine correlates of temperament traits in abstinent opiate addicts. *Journal of Substance Abuse*, 11, 337-354.
- Gladys W. H., Carriero N. J., Takushi R. Y., Montoya I. D., Preston K. L. e Gorelick D.A. (2000). Phathological Gambling among cocaine dependent outpatients. *Am J. Psychiatry*, 157,1127-1133.
- Gordon N.B., Warner A. e Henderson A.(1967). *Psychomotor and intellectual performance under Methadone Maintenance*. National Academy of Sciences, National Research Council, Committee on Problems of Drug Dependence.
- Gorini G. (2002) *Metodi per smettere di fumare in Tabagismo: clinica e prevenzione. Esperienze pratiche*. Edizioni Regione Toscana, Firenze.

Guelfi G.P. (1995). Cannabis agli adolescenti? Meglio che rimanga illegale. *Medicina delle Tossicodipendenze*, 3, 28-35.

Guelfi G.P. (1996). Aspetti clinici dell'abuso di cannabis. In *Medicina delle Tossicodipendenze*. Ed. Scuola Europea di Medicina Generale.
http://www.dronet.org/lineeguida/ligu_pdf/cannabis.pdf

Hamburg D. A. (1992). *Today's children: creating a future for a generation in crisis*. New York: Times Books.

Hanson M.D. e Chen E. (2007). Socioeconomic status and substance use behaviors in adolescents: the role of family resources versus family social status. *Journal health psychology*, 12, 1, 32-35.

Hatzidimitriou, G., McCann U.D., e Ricuarte G.A. (1999). Altered serotonin innervation patterns in the forebrain of monkeys treated with MDMA seven years previously: Factors influencing abnormal recovery. *Journal of Neuroscience*, 19(12), 5096-5107.

Haynie L.D., Crump A.D., Eitel P. e Saylor K.E. (2001). Peer and Parent Influences on Smoking and Drinking among Early Adolescents. *Health Education & Behavior*, 28, 1, 95-107.

Herzog D.B., Franko DL, Dorer DJ, Keel PK, Jackson S e Manzo MP. (2006). Drug abuse in women with eating disorders. *Int J. Eat Disord.*, July 39(5), 364-8.

Hoffmann A. (1961). Chemical, pharmacological and medical aspects of psychotomimetics. *J Exp Ment Dis.*, 5: 31-51.

Hops H., Duncan T.E., Duncan S.C. e Stoolmiller M. (1996). Parents substances use as a predictor of adolescents use: a six years lagged analysis. *Annal of behavioral medicine*, 18, 3, 157-164.

Huizink A.C., Ferdinand R.F., van der Ende J. e Verhulst F.C. (2006). Symptoms of anxiety and depression in childhood and use of MDMA: prospective population based study. *BMJ*, 332, 825-827.

ISTAT (2008). Statistiche in breve. *L'abuso di alcol in Italia. Anno 2007*.
http://www.istat.it/salastampa/comunicati/non_calendario/20080417_00/testintegrale20080417.pdf

Jaffe J.H. (1993). Opiates: Clinical Aspects. In Lowinson JH., Ruiz P, Millman RB, Langrod JG, eds. ... *vasive opiate detoxification. Am J Psychiatry. Substances Abuse, a comprehensive textbook*. Part III, Williams and Wilkins, Baitimore.

Janiri L. e Gobbi G. (1996). Abuso e dipendenza da benzodiazepine. In *Medicina delle Tossicodipendenze*. Ed. Scuola Europea di Medicina Generale.
http://www.dronet.org/lineeguida/ligu_pdf/benzo.pdf

Jolas T., Nestler E.J. e Aghajanian G.K. (2000). Chronic morphine increases GABA tone on serotonergic neurons of the dorsal raphe nucleus: association with an up-regulation of the cyclic AMP pathway. *Neuroscience*, 95(2), 433-43.

- Keiding S, Christian Nj e Damgaard S.E.. (1983). Ethanol metabolism in heavy drinkers after massive and moderate alcohol intake. *Biochem Pharma*, 32, 3097.
- Khan C., Malik S.A. e Iqbal M.A. (1990). Testosterone suppression by heroin. *JPMA J Pak Med Assoc.* , 40(7), 172-3.
- Koob G.F., Roberts A.J., Schulteis G., Parsons L.H., Heyser C.J., Hyytia P., Merlo-Pich E. e Weiss F. (1998). Neurocircuitry targets in ethanol reward and dependence. *Alcohol Clin Exp Res.* , 22(1), 3-9.
- Kostowski W. e Bienkowski P. (1999). Discriminative stimulus effects of ethanol: neuropharmacological characterization. *Alcohol.* , 17(1), 63-80.
- Kulig K., Brener N. e McManus T. (2003). Sexual Activity and Substance Use Among Adolescents by Category of Physical Activity Plus Team Sports Participation. *Arch pediatr adolesc med.* , 157.
- Lamarque S., Taghzouti K. e Simon H. (2001). Chronic treatment with Delta (9)-tetrahydrocannabinol enhances the locomotor response to amphetamine and heroin. Implications for vulnerability to drug addiction. *Neuropharmacology*, 41(1), 118-29.
- Lange R.A. e Hillis LD. (2001). Cardiovascular complications of cocaine use. *N. Engl. J. Med.* , 345(5), 351-8. Pub Med.
- Lee K.N., Greely J. e Oei T. (1999). The relationship of positive and negative alcohol expectancies to patterns of consumption of alcohol in social drinkers. *Addictive Behaviors*, 24, 359-369.
- Littleton J. (1978). Alcohol and neurotransmitters. *Clin Endocrinol Metab.* , 7(2), 369-84.
- Liu J.G. e Anand K.J. (2001). Protein kinases modulate the cellular adaptations associated with opioid tolerance and dependence. *Brain Res Brain Res Rev.*, 38(1-2), 1-19.
- Lucchini A. (2001). *La diagnosi nei disturbi da uso di sostanze*. Franco Angeli, Milano.
- Lundquist F. (1971). *The metabolism of ethanol*. In: Israel Y, Mardonec J, eds. *Biological Basis of Alcoholism*. NY, John Wiley and Sons, 1
- Lyles J. e Cadet J.L.(2003). Methylenedioxymethamphetamine (MDMA, Ecstasy) neurotoxicity: cellular and molecular mechanisms. *Brain Res. Rev.*, 42, 155-168.
- Madera P., Bosco O., Mazzi R. e Minelli F. (a cura di) (2008). *Tabacco informazioni dalla ricerca*. Dipartimento delle Dipendenze Regione Veneto, Azienda USL 20, Verona. <http://www.dronet.org>
- Mann H., Ladenheim B., Hirata H., Moran T.H. e Cadet J.L. (1997). Differential toxic effects of methamphetamine (METH) and methylenedioxymethamphetamine (MDMA) in multidrug-resistant (mdr1a) knockout mice. *Brain Res.* , Sep 26, 769(2), 340-6.

- Mariani F. e Protti M.A. (1987). *Atteggiamenti e comportamenti degli studenti delle scuole secondarie superiori della Valle d'Aosta nei confronti del consumo di tabacco, alcool e altre droghe*. Regione Autonoma Valle d'Aosta, Aosta.
- Martin C.S., Arria A.M., Mezzich A.C. e Bukstein O.G. (1993). Patterns of Polydrug Use in Adolescent Alcohol Abusers. *Am. J. Drug Alcohol Abuse*, 19(4), 511-521.
- Martin C.S., Clifford P., Maisto S.A., Earleywine M., Kirisci L. e Longabaugh R. (1996). Polydrug use in an inpatient treatment sample of problem drinkers. *Alcohol Clin Exp Res.*, 20(3) 413-7.
- Maremmani I. e Balestri C. (1996). Alcolismo: clinica e terapia. In *Medicina delle Tossicodipendenze*. SEMG; 100-118.
- Marks J. (1978). *The benzodiazepines: use, overuse misuse, abuse*. St. Leonard's House, MPT Press, Lancaster, England.
- Matthews J. (2000). *Substance related disorders: cocaine and narcotics*. In Psychiatry update and board preparation, Macgraw Hill, New York.
- McArdle P., Wieggersma A., Gilvarry E., Kolte B., McCarthy S., Fitzgerald M., Brinkley A., Blom M., Stoeckel I., Pierolini A., Michels I., Johnson R. e Quensel S. (2002). European adolescents substances use: the role of family structure, function and gender. *Addiction*, 97, 3, 329-336 .
- McCann U.D., Mertl M., Eligulashvili V. e Ricaurte G.A. (1999). Cognitive performance in (\pm) 3,4-methylenedioxymethamphetamine (MDMA, "ecstasy") users: a controlled study. *Psychopharmacology*, 143, 417-425.
- Merello P. (2000). *Fenomeni di abuso: nuovi soggetti per altri oggetti*. Terza conferenza nazionale sui problemi connessi con la diffusione delle sostanze stupefacenti e psicotrope, Genova, 28-30 Novembre 2000.
- Milanese R. (2001). *Ecstasy e giovani in valdinievole. Il mondo del lavoro*. Azienda USL3 Zona Valdinievole Servizio delle Tossicodipendenze. Attività di Educazione alla Salute.
- Miller P. (1997). Family structure, personality, drinking, smoking and illicit drug use: a study of UK teenagers. *Drug and Alcohol Dependence*, 45, 1-2, 121-129.
- Millstein G., Petersen A. C. e Nightingale E.O. (1993). *Promoting the health of adolescent. New direction for the twenty-frist century*. Oxford university press US.
- Newcomb M.D. e Bentler P.M. (1989). Substance use and abuse among children and teenagers. *American psychologist*, 44 (2), 249-257.
- Nisticò G.(1990). *Neuropsicofarmacologia*. (G. Nisticò, ed.) Pythagora Press, Rome.
- Nutt D. (1999). Alcohol and the brain. Pharmacological insights for psychiatrists. *Br J Psychiatry*, 175, 114-9.

O'Donnel J.A. e Clayton R.R. (1982). The stepping-stone hypothesis: marijuana, heroin, and causality. *Chemical Dependencies: Behavioral and Biomedical Issues*, 4, 229-241.

Orlandini D., Nardelli R. e Potente R. (2001). *Le rappresentazioni sociali delle droghe nei giovani e negli adulti veneti*. Assessorato alle politiche sociali e direzione regionale per i servizi sociali della Regione Veneto.

Parrott A.C., Sisk E. e Turner J.J. (2000). Psychobiological problems in heavy 'ecstasy' (MDMA) polydrug users. *Drug Alcohol Depend.*, 1, 60(1), 105-110.

Patussi V., Biagini M.R. e Carloppi S. (2000). Metabolismo dell'alcol e patologia alcol-correlata. In *Manuale di Alcolologia*. Ed. Le Balze; parte prima, 48-51.

Peinzleve M. (2004), "Cocaine use in Europe - A multi-centre Study: patterns of use in different groups". *European Addiction Research*, 10, 147-155.

Peretti-Watel P. (2002) Pratique sportive et substances psychoactives. *Le Journal des Professionnels de L'enfance*, 20, 39-41.

Peretti-Watel, P., Beck, F. e Legleye, S. (2002) Beyond the U-curve: the relationship between sport and alcohol, cigarette and cannabis use in adolescents. *Addiction*, 97, 707-716.

Poikolainen K. (2006). Ecstasy and the antecedents of illicit drug use. *BMJ*, 332, 803-804.

Pombeni, M.L. (1997). L'adolescente e la scuola. In A. Polmonari (a cura di), *Manuale di psicologia dell'adolescenza*. 251-270. Il Mulino, Bologna.

Presidenza del Consiglio dei Ministri, Dipartimento Nazionale per le Politiche Antidroga (2004). *Relazione al Parlamento sullo stato delle Tossicodipendenze in Italia*.

Presidenza del Consiglio dei Ministri, Dipartimento Nazionale per le politiche antidroga (2007). *Relazione annuale al parlamento sullo stato delle tossicodipendenze in Italia 2007*.

Rasmussen K. (1995). The role of the locus coeruleus and N-methyl-D-aspartic acid (NMDA) and AMPA receptors in opiate withdrawal. *Neuropsychopharmacology*, 13(4), 295-300.

Ricourte G.A., Martello A.L., Katz J.L. e Martello M.B. (1992): Lasting effects of (\pm)3,4-methylenedioxymethamphetamine on central serotonergic neurons in non-human primates: neurochemical observations. *J Pharmacol Exp Ther.*, 261, 616-622.

Ricci Bitti, P. (1997). *Organizzare la vita quotidiana e progettare il futuro: l'esperienza temporale degli adolescenti*. In A. Polmonari (a cura di) *Manuale di psicologia dell'adolescenza*. 269-199. Il Mulino, Bologna.

Rizzo S. (1998). *Intervento sul Progetto Nuove Droghe. Nottevolmente*. Convegno Droghe: nuove tendenze, nuovi problemi, nuove strategie., Roma, 29 Ottobre 1998.

- Robinson T.E., Castaneda E. e Wishaw I.Q. (1993): Effects of cortical serotonin depletion induced by 3,4-methylenedioxymethamphetamine (MDMA) on behavior, before and after additional cholinergic blockade. *Neuropsychopharmacology*, 8(1), 77-85.
- Rosenberg M.F. e Anthony J.C. (2001). Early clinical manifestations of cannabis dependence in a community sample. *Drug Alcohol Depend.* , 1, 64(2),123-31.
- Sarnyai Z., Shaham Y. e Heinrichs S.C. (2001). The role of corticotropin-releasing factor in drug addiction. *Pharmacol Rev.* , 53(2), 209-43.
- Sato N. e Kitamura T. (1996). First-pass metabolism of ethanol: an overview. *Gastroenterology*, 111, 1143-50.
- Satre D.D. e Knight (2001).Alcohol expectancies and their relationship to alcohol use: age and sex differences. *Aging Ment Health.* , 5(1):73-83.
- Savioli M. (2000). *Sport e attività fisiche in italia. Le tendenze in atto alla luce dei dati dell'indagine ISTAT "I cittadini e il tempo libero – 2000"*. ISTAT, Servizio SDS - Struttura e Dinamica Sociale.
http://www.coni.it/fileadmin/template/main/new_coni/osservatori/3312_inf.pdf
- Scabini, E. (1995). *Psicologia sociale della famiglia. Sviluppo dei legami e trasformazioni sociali*. Bollati Boringhieri, Torino.
- Scheier L.M. e Botvin G. (1997). Expectancies as Mediators of the Effects of Social Influences and Alcohol Knowledge on Adolescent Alcohol Use: A Prospective Analysis. *Psychology of Addictive Behaviors*, 1 ,1, 48-64.
- Serpelloni G. (a cura di) (2008 a) *Ecstasy. Informazioni dalla ricerca*. Dipartimento delle Dipendenze Regione Veneto, Azienda USL 20, Verona. <http://www.dronet.org>
- Serpelloni G. (a cura di) (2008 b) *Marijuana. Informazioni dalla ricerca*. Dipartimento delle Dipendenze Regione Veneto, Azienda USL 20, Verona. <http://www.dronet.org>
- Serpelloni G., Gomma M., Bosco O. e Dianin G. (1995). Linee guida per la terapia sostitutiva con metadone nella dipendenza cronica da eroina. In Serpelloni G., Rezza G. e Gomma M. *Eroina, infezione da HIV e patologie correlate. Manuale teorico-pratico*. Leonard edizioni scientifiche, Verona.
- Sherif C. W. (1984). coordinating *the sociological and psychological in adolescent interaction*. In: W. Doise e A. Palmonari (a cura di) *Social interaction and individual development*. Cambridge University press, Cambridge.
- Sherry G. e Pine D.S. (2002). Consequences and Correlates of Adolescent Depression. *Arch Pediatr Adolesc Med.* , 156, 1009-1014.
- Schwarzer R. (2001). Social-Cognitive Factors in Changing Health-Related Behaviors. *Courrent direction in psychichological science*, 10, 2, 47-51.

Svikis D.S., Mccaul M., Haug N.A. e Boney T.Y. (1996). Detecting Alcohol Problems in Drug-Dependent Women of Childbearing Age. *Am.J. Drug Alcohol Abuse*, 22(4), 563-575.

Szabo G. (1999). Consequences of alcohol consumption on host defence. *Alcohol Alcohol*, 34(6), 830-41.

Szeto C.Y., Tang N.L., Lee D.T., Stadlin A. (2001). Association between mu opioid receptor gene polymorphisms and Chinese heroin addicts. *Neuroreport*, 8, 12(6), 1103-6

Tabakoff B. e Hoffman P.L. (1980). *Alcohol tolerance and dependence*. Rigter H, Crabbe J eds., Elsevier, Amsterdam.

Teti, D. M. e Gelfand, D.M. (1991). Behavioral Competence among Mothers of Infants in the First Year: The Mediational Role of Maternal Self-Efficacy. *Child Development*, 62, 5, 918-929.

Tollefson G.D. (1989). Serotonin and alcohol: interrelationships. *Psychopathology*, 22 Suppl. 1, 37-48.

Trogu E. (1996). Gli oppioidi: aspetti clinici. In *Medicina delle Tossicodipendenze*. Ed. Scuola Europea di Medicina Generale. http://www.dronet.org/search/res_bibl.php?codice=45

UNODC and Global Youth Network (2002). *SPORT: Using sport for drug abuse prevention*. New York: United Nations. http://www.unodc.org/youthnet/pdf/handbook_sport_english.pdf

Vendramin A. e Boccalon R. (1996). Classificazione delle sostanze d'abuso dal libro *Medicina delle tossicodipendenze*. Ed. Scuola Europea di Medicina Generale. http://www.dronet.org/search/res_bibl.

Vetere C. (a cura di) (2000). L'uso terapeutico di sostanze allucinogene. In *Alcol, stupefacenti guida, popolazione studentesca e nuove droghe, trattamento metadonico e performance*. Rassegne critiche bibliografiche. Bollettino delle farmacodipendenze e l'alcolismo. Anno XXIII, 1.

Waddington I. (2000) *Sport, Health and Drugs*. London: Taylor & Francis.

Welch S.P. (1997). Characterization of anandamide-induced tolerance: comparison to delta 9 THC-induced interactions with dynorphinergic systems. *Drug Alcohol Depend.* , 14, 45(1-2), 39-45;

Woolfolk, A. E. e Hoy, W. K. (1990). Prospective Teachers' Sense of Efficacy and Beliefs about Control. *Journal of Educational Psychology*, 82, 1, 81-91.

Zani B. (1997). L'adolescente e la famiglia. In A. Polmonari (a cura di), *Manuale di psicologia dell'adolescenza*. 229-250. Il Mulino, Bologna.

Zani B. e Cicognani E. (2006). Autoefficacia e comportamenti a rischio: una ricerca con adolescenti. *Psicologia della salute*, 3; 0-18. Franco Angeli, Milano.

Zavan V., Forza G. e Cibin M. (1995). Trattamenti farmacologici non sostitutivi nella dipendenza da eroina. In Serpelloni G., Rezza G. e Gomma M., *Eroina, infezione da HIV e patologie correlate. Manuale teorico-pratico*. Leonard edizioni scientifiche, Verona.

Zuckerman M., Kuhlman DM. e Camac C. (1988). What lies beyond E and N Factor analyses of scales believed to measure basic dimensions of personality. *J. Pers. Soc. Psychol.* , 54, 96-107.

SITI INTERNET

<http://www.coni.it>

<http://www.dronet.org>

<http://www.emcdda.europa.eu/>

<http://www.istat.it>

<http://www.medicinadelletossicodipendenze.it/>

<http://www.unodc.org>